

	Type	Hits	Search Text
1	BRS	1	10/809298
2	BRS	0	((radio adj1 frequenc\$3 rf) near7 board same dielectric).ab. and (electromagnetic near1 absorb\$4) and electrical\$4 near1 lead\$2
3	BRS	0	((radio adj1 frequenc\$3 rf) near7 board same dielectric).ab. and (electromagnetic near3 absorb\$4) and electrical\$4 near1 lead\$2
4	BRS	0	((radio adj1 frequenc\$3 rf) near7 board same dielectric).ab. and (electromagnet\$3 near3 absor\$4) and electrical\$4 near1 lead\$2
5	BRS	1	((radio adj1 frequenc\$3 rf) near7 board\$1 same dielectric) and (electromagnet\$3 near3 absor\$4) and electrical\$4 near1 lead\$2
6	BRS	1	((radio adj1 frequenc\$3 rf) near9 board\$1 same dielectric) and (electromagnet\$3 near5 absor\$4) and electrical\$4 near1 lead\$2
7	BRS	12	((radio adj1 frequenc\$3 rf) same dielectric) and (electromagnet\$3 near5 absor\$4) and electrical\$4 near1 lead\$2
8	BRS	3	((radio adj1 frequenc\$3 rf) same dielectric) and (electromagnet\$3 near5 absor\$4) and electrical\$4 near1 lead\$2 and (radio adj1 frequenc\$3 rf) near4 board\$2

	DBs	Time Stamp	Comments	Error Definition
1	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/09 11:59		
2	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/09 12:03		
3	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/09 12:03		
4	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/09 12:03		
5	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/09 12:03		
6	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/09 12:04		
7	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/09 12:05		
8	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/09 12:05		

	Errors	Ref #
1		S1
2		S2
3		S3
4		S4
5		S5
6		S6
7		S7
8		S8

	Type	Hits	Search Text
1	BRS	0	10/712066
2	BRS	4573	(ceramic\$2 same (tape film\$3 jaket\$3 coat\$4 ferrule\$1)) same coupl\$4
3	BRS	1939	(fibers fibres waveguides second adj1 (fiber fibre waveguide)) near11 coupl\$4 same (fibers fibres waveguides (second adj1 (fiber fibre waveguide))) near7 fus\$5
4	BRS	2	(ceramic\$2 same (tape film\$3 jaket\$3 coat\$4 ferrule\$1)) same negative adj2 ((thermal\$3 adj1 expans\$5) cte) same coupl\$4
5	BRS	0	(ceramic\$2 near7 (tape film\$3 jaket\$3 coat\$4 ferrule\$1)) near7 negative adj2 ((thermal\$3 adj1 expans\$5) cte) same coupl\$4
6	BRS	2	(ceramic\$2 near7 (tape film\$3 jaket\$3 coat\$4 ferrule\$1)) near7 negative adj2 ((thermal\$3 adj1 expans\$5) cte)
7	BRS	38	(ceramic\$2 near7 (material\$1 tap\$3 film\$3 jaket\$3 coat\$4 ferrule\$1)) near4 negative adj2 ((thermal\$3 adj1 expans\$5) cte)
8	BRS	0	(ceramic\$2 near7 (material\$1 tap\$3 film\$3 jaket\$3 coat\$4 ferrule\$1)) near4 negative adj2 ((thermal\$3 adj1 expans\$5) cte) same coupl\$4
9	BRS	0	(ceramic\$2 near7 (material\$1 tap\$3 film\$3 jaket\$3 coat\$4 ferrule\$1)) near4 negative adj2 ((thermal\$3 adj1 expans\$5) cte) same ferrule\$1
10	BRS	0	(ceramic\$2 near7 (material\$1 tap\$3 film\$3 jaket\$3 coat\$4 ferrule\$1)) near4 negative adj2 ((thermal\$3 adj1 expans\$5) cte) same jaket\$3
11	BRS	2	(ceramic\$2 near7 (material\$1 tap\$3 film\$3 jaket\$3 coat\$4 ferrule\$1)) near4 negative adj2 ((thermal\$3 adj1 expans\$5) cte) same tub\$4

	DBs	Time Stamp	Comments	Error Definition
1	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 14:07		
2	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 14:16		
3	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 15:38		
4	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 14:24		
5	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 14:25		
6	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 14:29		
7	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 14:41		
8	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 14:30		
9	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 14:42		
10	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 14:42		
11	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 14:44		

	Errors	Ref #
1		S1
2		S2
3		S3
4		S4
5		S5
6		S6
7		S7
8		S8
9		S9
10		S10
11		S11

	Type	Hits	Search Text
12	BRS	2	(ceramic\$2 near7 (material\$1 tap\$3 film\$3 jacket\$3 coat\$4 ferrule\$1)) near4 negative adj2 ((thermal\$3 adj1 expan\$5) cte) same fus\$4
13	BRS	3735	coupler\$1 near12 fus\$5
14	BRS	0	(ferrule tub\$3 jacket\$3 tap\$3) near7 negative adj2 ((thermal\$3 adj1 expan\$5) cte) near7 (coupl\$4 fus\$4)
15	BRS	0	(ferrule tub\$3 jacket\$3 tap\$3) near7 negative adj2 ((thermal\$3 adj1 expan\$5) cte) same (coupl\$4 fus\$4)
16	BRS	3	(ferrule\$1 tub\$4 jacket\$3 tap\$3) near7 negative near5 ((thermal\$3 adj1 expan\$5) cte) same (coupl\$4 fus\$4)
17	BRS	52	(ferrule\$1 tub\$4 jacket\$3 tap\$3) near11 negative near5 ((thermal\$3 adj1 expan\$5) cte)
18	BRS	0	S3 and S17
19	BRS	29	S17 and coupl\$3
20	BRS	19	S17 and coupl\$3 same (ferrule\$1 tub\$4 jacket\$3 tap\$3)
21	BRS	5	S17 and coupl\$3 same (ferrule\$1 tub\$4 jacket\$3 tap\$3) same (fiber\$1 fibr\$1 waveguide\$1)
22	BRS	0	(fibers fibres waveguides second adj1 (fiber fibre waveguide)) near7 fus\$4 same (fiber\$1 fibre\$1) near7 positiv\$3 near5 ((therm\$3 adj1 expan\$4) cte\$1) same (ferrul\$3 tub\$4) near7 (fill\$4 resin\$3 epox\$5 inject\$4) same coupler\$1
23	BRS	1656	(fibers fibres waveguides second adj1 (fiber fibre waveguide)) near7 fus\$4 same coupler\$1
24	BRS	0	(fiber\$1 fibre\$1) near7 positiv\$3 near5 ((therm\$3 adj1 expan\$4) cte\$1) same (ferrul\$3 tub\$4) near7 (fill\$4 resin\$3 epox\$5 inject\$4) same coupl\$1

	DBs	Time Stamp	Comments	Error Definition
12	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 14:44		
13	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 14:50		
14	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 14:53		
15	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 14:54		
16	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 15:07		
17	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 17:34		
18	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 15:08		
19	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 15:09		
20	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 15:10		
21	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 18:01		
22	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 15:47		
23	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 15:48		
24	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 15:49		

	Errors	Ref #
12		S12
13		S13
14		S14
15		S15
16		S16
17		S17
18		S18
19		S19
20		S20
21		S21
22		S22
23		S23
24		S24

	Type	Hits	Search Text
25	BRS	123	(fiber\$1 fibre\$1) near7 positiv\$3 near5 ((therm\$3 adj1 expan\$4) cte\$1)
26	BRS	141	(fiber\$1 fibre\$1 fus\$4 coupl\$3) near7 positiv\$3 near5 ((therm\$3 adj1 expan\$4) cte\$1)
27	BRS	2118	(ferrul\$3 tub\$4) near7 (fill\$4 resin\$3 epox\$5 inject\$4) near7 (fus\$3 coupl\$1)
28	BRS	0	S23 and S25 and S26 and S27
29	BRS	142	(fiber\$1 fibre\$1 fus\$4 coupl\$4) near7 positiv\$3 near5 ((therm\$3 adj1 expan\$4) cte\$1)
30	BRS	0	S23 and S29 and S26 and S27
31	BRS	11	S23 and S27
32	BRS	4	S31 and (fill\$4 resin\$3 epox\$5 inject\$4) near7 (fus\$3 coupl\$1)
33	BRS	4	S23 and S26
34	BRS	69	S23 and (fill\$4 resin\$3 epox\$5 inject\$4) near7 (fus\$3 coupl\$1)
35	BRS	54	S23 and (fill\$4 resin\$3 epox\$5 inject\$4) near7 (fus\$3 coupl\$1) same coupler\$1
36	BRS	10	S35 and (cte\$1 (therm\$4 near5 expan\$5))
37	BRS	3	S36 and (athermal\$4 compensat\$4 near12 therm\$4 negativ\$3)
38	BRS	9	S35 and (athermal\$4 compensat\$4 near12 therm\$4 negativ\$3)
39	BRS	7	S36 not S38
40	BRS	6	S38 not S36
41	BRS	70	coupl\$6 same negative near5 ((thermal\$3 adj1 expan\$5) cte)
42	BRS	10	S23 and S41
43	BRS	0	epox\$5 near5 (coat\$5 fill\$5) near4 coupl\$4 near5 (equal negative positive zero) near5 ((thermal\$4 near4 expans\$5) cte\$1)

	DBs	Time Stamp	Comments	Error Definition
25	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 15:53		
26	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 16:00		
27	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 15:55		
28	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 15:54		
29	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 15:55		
30	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 15:54		
31	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 15:55		
32	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 16:17		
33	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 16:00		
34	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 16:17		
35	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 16:18		
36	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/10 18:52		
37	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 16:55		
38	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 16:55		
39	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 16:59		
40	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 17:02		
41	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 17:34		
42	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 17:47		
43	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 18:24		

	Errors	Ref #
25		S25
26		S26
27		S27
28		S28
29		S29
30		S30
31		S31
32		S32
33		S33
34		S34
35		S35
36		S36
37		S37
38		S38
39		S39
40		S40
41		S41
42		S42
43		S43

	Type	Hits	Search Text
44	BRS	0	apox\$5 near5 (coat\$5 fill\$5) near4 coupl\$4 near5 (equal negative positive zero) near5 ((thermal\$4 near4 expans\$5) cte\$1)
45	BRS	0	epox\$5 near5 (coat\$5 fill\$5) near4 (fus\$4 coupl\$4) near5 (equal negative positive zero) near5 ((thermal\$4 near4 expans\$5) cte\$1)
46	BRS	3	epox\$5 near5 (equal negative positive zero) near5 ((thermal\$4 near4 expans\$5) cte\$1) same coupl\$4
47	BRS	2	epox\$5 near5 (zero) near5 ((thermal\$4 near4 expans\$5) cte\$1) same optical
48	BRS	7	epox\$5 near5 (zero) near5 ((thermal\$4 near4 expans\$5) cte\$1)
49	BRS	12	epox\$5 near5 (positive) near5 ((thermal\$4 near4 expans\$5) cte\$1)
50	BRS	0	epox\$5 near5 (positive) near5 ((thermal\$4 near4 expans\$5) cte\$1) same coupler
51	BRS	0	epox\$5 near5 (positive) near5 ((thermal\$4 near4 expans\$5) cte\$1) same coupl\$3
52	BRS	1	epox\$5 near5 (positive) near5 ((thermal\$4 near4 expans\$5) cte\$1) same optical
53	BRS	1695	(fibers fibres waveguides second adj1 (fiber fibre waveguide)) near7 fus\$4 same coupler\$1
54	BRS	57	S53 and (fill\$4 resin\$3 epox\$5 inject\$4) near7 (fus\$3 coupl\$1) same coupler\$1
55	BRS	12	S54 and (cte\$1 (therm\$4 near5 expan\$5))
56	BRS	1	10/809298
57	BRS	1	S56 and (absor\$5 lead\$2 magnetic\$5 iron ferrite dielectrically silicon si urethane vinyl plastic rubber)
58	BRS	1	S56 and (rf radio\$5 fm) and ((electr\$5 circuit\$2 transmi\$5 radar1 optic\$4 fiber\$1 waveguide\$1) near7 lead\$2)

	DBs	Time Stamp	Comments	Error Definition
44	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 18:24		
45	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 18:26		
46	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 18:32		
47	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 18:39		
48	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 18:42		
49	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 18:42		
50	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 18:42		
51	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 18:43		
52	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/06/15 18:43		
53	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/10 18:52		
54	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/10 18:52		
55	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/10 18:52		
56	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/12 15:41		
57	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/11 18:31		
58	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/11 16:07		

	Errors	Ref #
44		S44
45		S45
46		S46
47		S48
48		S47
49		S49
50		S50
51		S51
52		S52
53		S53
54		S54
55		S55
56		S56
57		S57
58		S58

	Type	Hits	Search Text
59	BRS	1	S56 and (electric\$5 same connect\$5 same (optic\$4 osa))
60	BRS	1	S56 and ((esa electric\$5) same connect\$5 same (optic\$4 osa))
61	BRS	1	S56 and ((esa electric\$5) near7 (lead\$2 connect\$5) near7 (optic\$4 osa))
62	BRS	2222	((esa electric\$5) near7 (lead\$2) near7 (optic\$4 osa))
63	BRS	3976	((esa electr\$5 circuit\$1) near7 (lead\$2) near7 (optic\$4 osa))
64	BRS	905013	(transm\$5 same receiv\$5 transceiv\$5)
65	BRS	104	(lead\$1 electric\$4) same (insulat\$5 near7 (electromag\$5 electr\$4 adj1 magnet\$4) near5 absor\$5)
66	BRS	119	(lead\$1 electric\$4 circuit\$3) same (insulat\$5 near7 (electromag\$5 electr\$4 adj1 magnet\$4) near5 absor\$5)
67	BRS	0	S63 and S66
68	BRS	0	S64 and S67
69	BRS	15	S64 and S66
70	BRS	23346	((esa electr\$5 circuit\$1) same (lead\$2) same (optic\$4 osa))
71	BRS	6	S69 and S70
72	BRS	6	S71 and leads
73	BRS	2372696	(transm\$5 same receiv\$5 transceiv\$5 anten\$3 communication\$1)
74	BRS	35959	((esa electr\$5 circuit\$1) same (lead\$2 wiring\$1) same (optic\$4 osa))
75	BRS	3647	(lead\$1 electric\$4) same ((electromag\$5 electr\$4 adj1 magnet\$4) near5 absor\$5)
76	BRS	4439	(lead\$1 electric\$4 circuit\$1) same ((electromag\$5 electr\$4 adj1 magnet\$4) near5 absor\$5)

	DBs	Time Stamp	Comments	Error Definition
59	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/11 16:08		
60	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/11 16:10		
61	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/11 16:13		
62	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/11 16:15		
63	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/11 16:33		
64	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/11 16:39		
65	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/11 16:40		
66	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/11 16:19		
67	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/11 16:19		
68	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/11 16:32		
69	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/11 16:32		
70	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/11 16:39		
71	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/11 16:33		
72	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/11 16:34		
73	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/11 16:39		
74	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/11 16:54		
75	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/11 16:41		
76	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/11 16:42		

	Errors	Ref #
59		S59
60		S60
61		S61
62		S62
63		S63
64		S64
65		S65
66		S66
67		S67
68		S68
69		S69
70		S70
71		S71
72		S72
73		S73
74		S74
75		S75
76		S76

	Type	Hits	Search Text
77	BRS	4129	(lead\$1 electric\$4 circuit\$1) same ((electromag\$5 electr\$4 adj1 magnet\$4) near4 absor\$5)
78	BRS	76	S73 and S74 and S77
79	BRS	38	S78 and (electric\$4 near3 (lead\$1 wiring\$2))
80	BRS	3	S78 and (electric\$4 near3 (lead\$1 wiring\$2)) near12 absor\$5
81	BRS	13	S78 and (electric\$4 near3 (lead\$1 wir\$5)) same absor\$5
82	BRS	18	S78 and (electric\$4 near3 (lead\$1 wir\$5 conduct\$5)) near12 absor\$5
83	BRS	41341	((esa electr\$5 circuit\$1) near4 (lead\$2 wir\$5 conductor\$2) same (optic\$4 osa))
84	BRS	8077	(electric\$4 circuit\$1) near3 (lead\$1 wir\$5 conduct\$5) near12 absor\$5
85	BRS	3894	(electric\$4 circuit\$1) same ((electromag\$5 electr\$4 adj1 magnet\$4) near4 absor\$5)
86	BRS	21	S73 and S83 and S84 and S85
87	BRS	17	S86 not S72
88	BRS	3	("5110216" "4204742" "20040146452").pn.
89	BRS	3	S88 and (elect\$6 circuit\$1) same absor\$5 same (waveguid\$2 fiber\$1 fibre\$1 optic\$4)
90	BRS	1	"4204742".pn.
91	BRS	1	S90 and (esa electr\$5 circuit\$1) near4 (lead\$2 wir\$5 conductor\$2)
92	BRS	3	S88 and (elect\$6 circuit\$1) near7 absor\$5
93	BRS	1	"20040146452".pn.
94	BRS	1	S93 and (absor\$6 same material\$4)
95	BRS	1	S93 and (iron ferrite dielectrically silicon si urethane vinyl plastic rubber)

	DBs	Time Stamp	Comments	Error Definition
77	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/11 16:59		
78	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/11 16:44		
79	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/11 16:45		
80	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/11 16:53		
81	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/11 16:52		
82	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/11 16:56		
83	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/11 18:06		
84	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/11 16:57		
85	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/11 16:59		
86	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/12 11:04		
87	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/11 17:51		
88	US-PGPUB; USPAT	2006/01/11 17:52		
89	US-PGPUB; USPAT	2006/01/12 10:34		
90	US-PGPUB; USPAT	2006/01/11 18:06		
91	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/11 18:07		
92	US-PGPUB; USPAT	2006/01/11 18:29		
93	US-PGPUB; USPAT	2006/01/11 18:30		
94	US-PGPUB; USPAT	2006/01/11 18:30		
95	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/11 18:32		

	Errors	Ref #
77		S77
78		S78
79		S79
80		S80
81		S81
82		S82
83		S83
84		S84
85		S85
86		S86
87		S87
88		S88
89		S89
90		S90
91		S91
92		S92
93		S93
94		S94
95		S95

	Type	Hits	Search Text
96	BRS	1	S93 and (iron ferrite dielectric\$4 silicon si urethane vinyl plastic rubber)
97	BRS	1	"20040146452".pn.
98	BRS	1	S97 and (elect\$6 circuit\$1) same (waveguid\$2 fiber\$1 fibre\$1 optic\$4 photo\$7 detect5) and absor\$5
99	BRS	1	S97 and (absor\$5 near7 (coat\$5 layer\$1 element\$2 member\$2 unit\$1))
100	BRS	1	S97 and (absor\$5 near7 (coat\$5 layer\$1 element\$2 member\$2 unit\$1 wiring\$2 lead\$1))
101	BRS	2374653	(transm\$5 same receiv\$5 transceiv\$5 anten\$3 communication\$1)
102	BRS	41418	((esa electr\$5 circuit\$1) near4 (lead\$2 wir\$5 conductor\$2) same (optic\$4 osa))
103	BRS	8086	(electric\$4 circuit\$1) near3 (lead\$1 wir\$5 conduct\$5) near12 absor\$5
104	BRS	3900	(electric\$4 circuit\$1) same ((electromag\$5 electr\$4 adj1 magnet\$4) near4 absor\$5)
105	BRS	21	S101 and S102 and S103 and S104
106	BRS	36	S102 and S103 and S104
107	BRS	10	S107 and (elect\$6 circuit\$1) same (waveguid\$2 fiber\$1 fibre\$1 optic\$4 photo\$7 detect5) same absor\$5
108	BRS	7	S107 and (wiring\$2 leads electrods lines)
109	BRS	7	S108 and (wiring\$2 leads electrods lines)
110	BRS	15	S106 not S105
111	BRS	2374653	(transm\$5 same receiv\$5 transceiv\$5 anten\$3 communication\$1)
112	BRS	41418	((esa electr\$5 circuit\$1) near4 (lead\$2 wir\$5 conductor\$2) same (optic\$4 osa))
113	BRS	8086	(electric\$4 circuit\$1) near3 (lead\$1 wir\$5 conduct\$5) near12 absor\$5

	DBs	Time Stamp	Comments	Error Definition
96	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/11 18:32		
97	US-PGPUB; USPAT	2006/01/12 10:33		
98	US-PGPUB; USPAT	2006/01/12 11:07		
99	US-PGPUB; USPAT	2006/01/12 10:51		
100	US-PGPUB; USPAT	2006/01/12 10:51		
101	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/12 11:04		
102	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/12 11:04		
103	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/12 11:04		
104	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/12 11:04		
105	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/12 11:06		
106	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/12 11:06		
107	US-PGPUB; USPAT	2006/01/12 11:07		
108	US-PGPUB; USPAT	2006/01/12 11:08		
109	US-PGPUB; USPAT	2006/01/12 11:09		
110	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/12 13:20		
111	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/12 13:20		
112	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/12 13:20		
113	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/12 13:20		

	Errors	Ref #
96		S96
97		S97
98		S98
99		S99
100		S100
101		S101
102		S102
103		S103
104		S104
105		S105
106		S106
107		S108
108		S109
109		S110
110		S107
111		S111
112		S112
113		S113

	Type	Hits	Search Text
114	BRS	3900	(electric\$4 circuit\$1) same ((electromag\$5 electr\$4 adj1 magnet\$4) near4 absor\$5)
115	BRS	21	S111 and S112 and S113 and S114
116	BRS	36	S112 and S113 and S114
117	BRS	15	S116 not S115

	DBs	Time Stamp	Comments	Error Definition
114	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/12 13:20		
115	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/12 13:20		
116	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/12 13:20		
117	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/12 13:20		

	Errors	Ref #
114		S114
115		S115
116		S116
117		S117